

Projekt: 1 1

/ 1

Podatki o projektuNaslov : 1
Komponenta : 1
St. Nacrta: : 1**PALICNA ARMATURA Jeklo: S500B**

Poz.	Kom.	fi	Dolzina	D8	D10	D12	D14	D16	D20
1	84	10	2.36		198.24				
2	18	20	5.25						94.50
3	22	10	2.38		52.36				
4	10	20	3.85						38.50
5	29	10	2.87		83.23				
6	10	20	2.75						27.50
7	18	10	2.61		46.98				
8	10	20	2.42						24.20
9	39	10	2.06		80.34				
10	6	20	2.64						15.84
11	7	10	2.66		18.62				
12	2	10	2.38		4.76				
13	24	10	2.08		49.92				
14	8	20	2.90						23.20
15	776	16	1.20					931.20	
16	136	10	2.33	316.88					
17	24	14	12.00				288.00		
18	12	14	7.95				95.40		
19	16	10	3.58		57.28				
20	16	10	1.53		24.48				
21	37	10	4.00		148.00				
22	17	14	6.00				102.00		
23	108	8	0.50	54.00					
24	38	10	4.24		161.12				
25	71	10	3.82		271.22				
26	38	10	1.61		61.18				
27	10	10	3.19		31.90				
28	11	14	11.20				123.20		
29	7	16	11.20					78.40	
30	173	10	4.53		783.69				
31	26	16	12.00					312.00	
32	35	14	12.00				420.00		
33	79	10	3.79		299.41				
34	58	10	4.44		257.52				
35	17	14	9.10				154.70		
36	58	10	2.18		126.44				
37	10	14	9.90				99.00		
38	28	10	1.59		44.52				
39	14	10	1.45		20.30				
40	4	10	1.90		7.60				
41	5	16	1.90					9.50	
42	36	8	1.13	40.68					
43	12	14	3.00				36.00		
44	20	16	3.50					70.00	
45	220	8	1.65	363.00					
46	20	8	1.13	22.60					
47	20	8	1.23	24.60					
48	38	16	1.00					38.00	
49	8	12	2.35			18.80			
50	8	12	1.70			13.60			
51	3	20	1.70						5.10
52	6	10	1.70		10.20				

Skupna dolz. 504.88 32.40 1439.10
kg / m D8 0.395 D12 0.888 D16 1.580
kg / profil 199.428 28.771 2273.778

Skupna dolz. 3156.19 1318.30 228.84
kg / m D10 0.617 D14 1.210 D20 2.470
kg / profil 1947.369 1595.143 565.235

Projekt: 1 1

/ 1

PALICNA ARMATURA Jeklo: S500B**Poz. Kom. fi Dolzina D8 D10 D12 D14 D16 D20**-----
Skupna masa (kg) 6609.724
-----**Poz. Opomba:**

- 1 fi10/10cm/15cm
- 2 Uvrtati v obstojeèò plošèò in vstaviti palice !
- 3 fi10/10cm/15cm
- 4 Uvrtati v obstojeèò plošèò in vstaviti palice !
- 6 Uvrtati v obstojeèò plošèò in vstaviti palice !
- 8 Uvrtati v obstojeèò plošèò in vstaviti palice !
- 9 fi10/10cm/15cm
- 14 Uvrtati v obstojeèò plošèò in vstaviti palice !
- 17 Reži na licu mesta !
- 22 Reži na licu mesta !
- 27 fi10/15cm
- 31 Reži na licu mesta !
- 32 Reži na licu mesta !
- 45 fi8/15cm
- 46 fi8/15cm
- 47 fi8/15cm

Projekt: 1 1

/ 1

Podatki o projektuNaslov : 1
Komponenta : 1
St. Nacrta: : 1**M R E Z N A A R M A T U R A Jeklo: 500M**


Poz.	Kom.	Tip	Dolzina	Sirina	Q226	Q335	Q524
1	4	Q335	3.10	2.20		27.28	
2	2	Q335	3.10	1.95		12.09	
3	1	Q524	2.00	1.35			2.70
4	1	Q226	2.00	1.35	2.70		

Skupna pov.					2.70	39.37	2.70
kg / m2					3.59	5.33	8.32
kg / tip mreze					9.693	209.842	22.464

Skupna masa (kg) 241.999

Projekt: 1 1

/ 1










Podatki o projektuNaslov : 1
Komponenta : 1
St. Nacrta: : 1**RAZREZ MREZ Jeklo: 500M****Brutto skupna površina**

Kom.	Tip	Dolzina m	Sirina m	Masa kg
1	Q226	5.00	2.20	39.490
6	Q335	6.00	2.20	422.136
1	Q524	6.00	2.20	109.824
Brutto skupna masa (kg)				571.450

Projekt: 1 1

/ 1










Podatki o projektuNaslov : 1
Komponenta : 1
St. Nacrta: : 1**ARMATURNI IZVLECEK Jeklo: S500B**

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg
1	84	10	2.36		A4	 <p>Opomba: fi10/10cm/15cm</p>	198.24	122.314
2	18	20	5.25		A1	 <p>Opomba: Uvrtati v obstoječo ploščo in vstaviti palice !</p>	94.50	233.415
3	22	10	2.38		A4	 <p>Opomba: fi10/10cm/15cm</p>	52.36	32.306
4	10	20	3.85		A1	 <p>Opomba: Uvrtati v obstoječo ploščo in vstaviti palice !</p>	38.50	95.095
5	29	10	2.87		A4		83.23	51.353
6	10	20	2.75		A1	 <p>Opomba: Uvrtati v obstoječo ploščo in vstaviti palice !</p>	27.50	67.925
7	18	10	2.61		A4		46.98	28.987
8	10	20	2.42		A1	 <p>Opomba: Uvrtati v obstoječo ploščo in vstaviti palice !</p>	24.20	59.774
9	39	10	2.06		A4		80.34	49.570

Projekt: 1 1

/ 1







ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg																									
						Opomba: fi10/10cm/15cm																											
10	6	20	2.64		X1	 <table border="1"> <thead> <tr> <th>St.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>v°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>-0.20</td> <td>-0.51</td> <td>0.55</td> <td>-68</td> </tr> <tr> <td>2</td> <td>-0.45</td> <td>0.00</td> <td>0.45</td> <td>-90</td> </tr> <tr> <td>3</td> <td>0.00</td> <td>0.59</td> <td>0.59</td> <td>-90</td> </tr> <tr> <td>4</td> <td>1.05</td> <td>0.00</td> <td>1.05</td> <td></td> </tr> </tbody> </table>	St.	dx	dy	l	v°	1	-0.20	-0.51	0.55	-68	2	-0.45	0.00	0.45	-90	3	0.00	0.59	0.59	-90	4	1.05	0.00	1.05		15.84	39.125
St.	dx	dy	l	v°																													
1	-0.20	-0.51	0.55	-68																													
2	-0.45	0.00	0.45	-90																													
3	0.00	0.59	0.59	-90																													
4	1.05	0.00	1.05																														
11	7	10	2.66		A4		18.62	11.489																									
12	2	10	2.38		A4		4.76	2.937																									
13	24	10	2.08		A4		49.92	30.801																									
14	8	20	2.90		A1	 <p>Opomba: Uvrtati v obstoječo ploščo in vstaviti palice !</p>	23.20	57.304																									
15	776	16	1.20		A1		931.20	1471.296																									
16	136	10	2.33		A4		316.88	195.515																									
17	24	14	12.00		A1	 <p>Opomba: Reži na licu mesta !</p>	288.00	348.480																									
18	12	14	7.95		A1		95.40	115.434																									






Projekt: 1 1

/ 1

ARMATURNI IZVLEČEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg																																																		
19	16	10	3.58		X1	 <table border="1"> <thead> <tr> <th>St.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>v°</th> </tr> </thead> <tbody> <tr><td>1</td><td>0.26</td><td>-0.00</td><td>0.26</td><td>-90</td></tr> <tr><td>2</td><td>0.00</td><td>-0.20</td><td>0.20</td><td>-25</td></tr> <tr><td>3</td><td>-0.15</td><td>-0.32</td><td>0.35</td><td>-65</td></tr> <tr><td>4</td><td>-0.66</td><td>0.00</td><td>0.66</td><td>-90</td></tr> <tr><td>5</td><td>0.00</td><td>0.52</td><td>0.52</td><td>-90</td></tr> <tr><td>6</td><td>0.81</td><td>-0.00</td><td>0.81</td><td>-90</td></tr> <tr><td>7</td><td>0.00</td><td>-0.20</td><td>0.20</td><td>-25</td></tr> <tr><td>8</td><td>-0.15</td><td>-0.32</td><td>0.35</td><td>-65</td></tr> <tr><td>9</td><td>-0.23</td><td>0.00</td><td>0.23</td><td></td></tr> </tbody> </table>	St.	dx	dy	l	v°	1	0.26	-0.00	0.26	-90	2	0.00	-0.20	0.20	-25	3	-0.15	-0.32	0.35	-65	4	-0.66	0.00	0.66	-90	5	0.00	0.52	0.52	-90	6	0.81	-0.00	0.81	-90	7	0.00	-0.20	0.20	-25	8	-0.15	-0.32	0.35	-65	9	-0.23	0.00	0.23		57.28	35.342
St.	dx	dy	l	v°																																																						
1	0.26	-0.00	0.26	-90																																																						
2	0.00	-0.20	0.20	-25																																																						
3	-0.15	-0.32	0.35	-65																																																						
4	-0.66	0.00	0.66	-90																																																						
5	0.00	0.52	0.52	-90																																																						
6	0.81	-0.00	0.81	-90																																																						
7	0.00	-0.20	0.20	-25																																																						
8	-0.15	-0.32	0.35	-65																																																						
9	-0.23	0.00	0.23																																																							
20	16	10	1.53		A3		24.48	15.104																																																		
21	37	10	4.00		X1	 <table border="1"> <thead> <tr> <th>St.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>v°</th> </tr> </thead> <tbody> <tr><td>1</td><td>0.26</td><td>-0.00</td><td>0.26</td><td>-90</td></tr> <tr><td>2</td><td>0.00</td><td>-0.20</td><td>0.20</td><td>-25</td></tr> <tr><td>3</td><td>-0.15</td><td>-0.32</td><td>0.35</td><td>-65</td></tr> <tr><td>4</td><td>-0.87</td><td>0.00</td><td>0.87</td><td>-90</td></tr> <tr><td>5</td><td>0.00</td><td>0.52</td><td>0.52</td><td>-90</td></tr> <tr><td>6</td><td>1.02</td><td>-0.00</td><td>1.02</td><td>-90</td></tr> <tr><td>7</td><td>0.00</td><td>-0.20</td><td>0.20</td><td>-25</td></tr> <tr><td>8</td><td>-0.15</td><td>-0.32</td><td>0.35</td><td>-65</td></tr> <tr><td>9</td><td>-0.23</td><td>0.00</td><td>0.23</td><td></td></tr> </tbody> </table>	St.	dx	dy	l	v°	1	0.26	-0.00	0.26	-90	2	0.00	-0.20	0.20	-25	3	-0.15	-0.32	0.35	-65	4	-0.87	0.00	0.87	-90	5	0.00	0.52	0.52	-90	6	1.02	-0.00	1.02	-90	7	0.00	-0.20	0.20	-25	8	-0.15	-0.32	0.35	-65	9	-0.23	0.00	0.23		148.00	91.316
St.	dx	dy	l	v°																																																						
1	0.26	-0.00	0.26	-90																																																						
2	0.00	-0.20	0.20	-25																																																						
3	-0.15	-0.32	0.35	-65																																																						
4	-0.87	0.00	0.87	-90																																																						
5	0.00	0.52	0.52	-90																																																						
6	1.02	-0.00	1.02	-90																																																						
7	0.00	-0.20	0.20	-25																																																						
8	-0.15	-0.32	0.35	-65																																																						
9	-0.23	0.00	0.23																																																							
22	17	14	6.00		A1	 <p>Opomba: Reži na licu mesta !</p>	102.00	123.420																																																		
23	108	8	0.50		A1		54.00	21.330																																																		
24	38	10	4.24		X1	 <table border="1"> <thead> <tr> <th>St.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>v°</th> </tr> </thead> <tbody> <tr><td>1</td><td>0.26</td><td>-0.00</td><td>0.26</td><td>-90</td></tr> <tr><td>2</td><td>0.00</td><td>-0.23</td><td>0.23</td><td>-24</td></tr> <tr><td>3</td><td>-0.17</td><td>-0.38</td><td>0.41</td><td>-66</td></tr> <tr><td>4</td><td>-0.85</td><td>0.00</td><td>0.85</td><td>-90</td></tr> <tr><td>5</td><td>0.00</td><td>0.60</td><td>0.60</td><td>-90</td></tr> <tr><td>6</td><td>1.02</td><td>-0.00</td><td>1.02</td><td>-90</td></tr> <tr><td>7</td><td>0.00</td><td>-0.23</td><td>0.23</td><td>-24</td></tr> <tr><td>8</td><td>-0.17</td><td>-0.38</td><td>0.41</td><td>-66</td></tr> <tr><td>9</td><td>-0.23</td><td>0.00</td><td>0.23</td><td></td></tr> </tbody> </table>	St.	dx	dy	l	v°	1	0.26	-0.00	0.26	-90	2	0.00	-0.23	0.23	-24	3	-0.17	-0.38	0.41	-66	4	-0.85	0.00	0.85	-90	5	0.00	0.60	0.60	-90	6	1.02	-0.00	1.02	-90	7	0.00	-0.23	0.23	-24	8	-0.17	-0.38	0.41	-66	9	-0.23	0.00	0.23		161.12	99.411
St.	dx	dy	l	v°																																																						
1	0.26	-0.00	0.26	-90																																																						
2	0.00	-0.23	0.23	-24																																																						
3	-0.17	-0.38	0.41	-66																																																						
4	-0.85	0.00	0.85	-90																																																						
5	0.00	0.60	0.60	-90																																																						
6	1.02	-0.00	1.02	-90																																																						
7	0.00	-0.23	0.23	-24																																																						
8	-0.17	-0.38	0.41	-66																																																						
9	-0.23	0.00	0.23																																																							









ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg																																																		
25	71	10	3.82		X1	 <table border="1"> <thead> <tr> <th>St.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>v°</th> </tr> </thead> <tbody> <tr><td>1</td><td>0.26</td><td>-0.00</td><td>0.26</td><td>-90</td></tr> <tr><td>2</td><td>0.00</td><td>-0.28</td><td>0.28</td><td>-25</td></tr> <tr><td>3</td><td>-0.15</td><td>-0.32</td><td>0.35</td><td>-65</td></tr> <tr><td>4</td><td>-0.66</td><td>0.00</td><td>0.66</td><td>-90</td></tr> <tr><td>5</td><td>0.00</td><td>0.60</td><td>0.60</td><td>-90</td></tr> <tr><td>6</td><td>0.81</td><td>-0.00</td><td>0.81</td><td>-90</td></tr> <tr><td>7</td><td>0.00</td><td>-0.28</td><td>0.28</td><td>-25</td></tr> <tr><td>8</td><td>-0.15</td><td>-0.32</td><td>0.35</td><td>-65</td></tr> <tr><td>9</td><td>-0.23</td><td>0.00</td><td>0.23</td><td></td></tr> </tbody> </table>	St.	dx	dy	l	v°	1	0.26	-0.00	0.26	-90	2	0.00	-0.28	0.28	-25	3	-0.15	-0.32	0.35	-65	4	-0.66	0.00	0.66	-90	5	0.00	0.60	0.60	-90	6	0.81	-0.00	0.81	-90	7	0.00	-0.28	0.28	-25	8	-0.15	-0.32	0.35	-65	9	-0.23	0.00	0.23		271.22	167.343
St.	dx	dy	l	v°																																																						
1	0.26	-0.00	0.26	-90																																																						
2	0.00	-0.28	0.28	-25																																																						
3	-0.15	-0.32	0.35	-65																																																						
4	-0.66	0.00	0.66	-90																																																						
5	0.00	0.60	0.60	-90																																																						
6	0.81	-0.00	0.81	-90																																																						
7	0.00	-0.28	0.28	-25																																																						
8	-0.15	-0.32	0.35	-65																																																						
9	-0.23	0.00	0.23																																																							
26	38	10	1.61		A3		61.18	37.748																																																		
27	10	10	3.19		X1	 <table border="1"> <thead> <tr> <th>St.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>v°</th> </tr> </thead> <tbody> <tr><td>1</td><td>1.50</td><td>-0.00</td><td>1.50</td><td>90</td></tr> <tr><td>2</td><td>0.00</td><td>0.19</td><td>0.19</td><td>90</td></tr> <tr><td>3</td><td>-1.50</td><td>0.00</td><td>1.50</td><td></td></tr> </tbody> </table> <p>Opomba: fi10/15cm</p>	St.	dx	dy	l	v°	1	1.50	-0.00	1.50	90	2	0.00	0.19	0.19	90	3	-1.50	0.00	1.50		31.90	19.682																														
St.	dx	dy	l	v°																																																						
1	1.50	-0.00	1.50	90																																																						
2	0.00	0.19	0.19	90																																																						
3	-1.50	0.00	1.50																																																							
28	11	14	11.20		X1	 <table border="1"> <thead> <tr> <th>St.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>v°</th> <th>r</th> <th>chord</th> <th>oblika</th> <th>Kot</th> </tr> </thead> <tbody> <tr><td>1</td><td>0.92</td><td>-2.06</td><td>2.28</td><td>-2</td><td>4.70</td><td>2.28</td><td>0.14</td><td>28</td></tr> <tr><td>2</td><td>3.11</td><td>-1.63</td><td>3.64</td><td>-0</td><td>4.00</td><td>3.64</td><td>0.41</td><td>52</td></tr> <tr><td>3</td><td>2.93</td><td>1.16</td><td>3.24</td><td>-2</td><td>3.92</td><td>3.24</td><td>0.33</td><td>47</td></tr> <tr><td>4</td><td>0.96</td><td>1.76</td><td>2.04</td><td></td><td>3.19</td><td>2.04</td><td>0.16</td><td>37</td></tr> </tbody> </table>	St.	dx	dy	l	v°	r	chord	oblika	Kot	1	0.92	-2.06	2.28	-2	4.70	2.28	0.14	28	2	3.11	-1.63	3.64	-0	4.00	3.64	0.41	52	3	2.93	1.16	3.24	-2	3.92	3.24	0.33	47	4	0.96	1.76	2.04		3.19	2.04	0.16	37	123.20	149.072					
St.	dx	dy	l	v°	r	chord	oblika	Kot																																																		
1	0.92	-2.06	2.28	-2	4.70	2.28	0.14	28																																																		
2	3.11	-1.63	3.64	-0	4.00	3.64	0.41	52																																																		
3	2.93	1.16	3.24	-2	3.92	3.24	0.33	47																																																		
4	0.96	1.76	2.04		3.19	2.04	0.16	37																																																		
29	7	16	11.20		X1	 <table border="1"> <thead> <tr> <th>St.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>v°</th> <th>r</th> <th>chord</th> <th>oblika</th> <th>Kot</th> </tr> </thead> <tbody> <tr><td>1</td><td>0.92</td><td>-2.06</td><td>2.28</td><td>-2</td><td>4.70</td><td>2.28</td><td>0.14</td><td>28</td></tr> <tr><td>2</td><td>3.11</td><td>-1.63</td><td>3.64</td><td>-0</td><td>4.00</td><td>3.64</td><td>0.41</td><td>52</td></tr> <tr><td>3</td><td>2.93</td><td>1.16</td><td>3.24</td><td>-2</td><td>3.92</td><td>3.24</td><td>0.33</td><td>47</td></tr> <tr><td>4</td><td>0.96</td><td>1.76</td><td>2.04</td><td></td><td>3.19</td><td>2.04</td><td>0.16</td><td>37</td></tr> </tbody> </table>	St.	dx	dy	l	v°	r	chord	oblika	Kot	1	0.92	-2.06	2.28	-2	4.70	2.28	0.14	28	2	3.11	-1.63	3.64	-0	4.00	3.64	0.41	52	3	2.93	1.16	3.24	-2	3.92	3.24	0.33	47	4	0.96	1.76	2.04		3.19	2.04	0.16	37	78.40	123.872					
St.	dx	dy	l	v°	r	chord	oblika	Kot																																																		
1	0.92	-2.06	2.28	-2	4.70	2.28	0.14	28																																																		
2	3.11	-1.63	3.64	-0	4.00	3.64	0.41	52																																																		
3	2.93	1.16	3.24	-2	3.92	3.24	0.33	47																																																		
4	0.96	1.76	2.04		3.19	2.04	0.16	37																																																		

Projekt: 1 1

/ 1
















ARMATURNI IZVLEČEK Jeklo: S500B

Poz.	St.	fi	Dolžina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg																																																		
30	173	10	4.53		X1	 <table border="1" data-bbox="571 631 826 779"> <thead> <tr> <th>St.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>v°</th> </tr> </thead> <tbody> <tr><td>1</td><td>-0.38</td><td>0.00</td><td>0.38</td><td>-67</td></tr> <tr><td>2</td><td>-0.29</td><td>0.69</td><td>0.75</td><td>-113</td></tr> <tr><td>3</td><td>0.76</td><td>0.00</td><td>0.76</td><td>-90</td></tr> <tr><td>4</td><td>0.00</td><td>-0.69</td><td>0.69</td><td>-90</td></tr> <tr><td>5</td><td>-0.47</td><td>0.00</td><td>0.47</td><td>-67</td></tr> <tr><td>6</td><td>-0.29</td><td>0.69</td><td>0.75</td><td>-113</td></tr> <tr><td>7</td><td>0.73</td><td>0.00</td><td>0.73</td><td></td></tr> </tbody> </table>	St.	dx	dy	l	v°	1	-0.38	0.00	0.38	-67	2	-0.29	0.69	0.75	-113	3	0.76	0.00	0.76	-90	4	0.00	-0.69	0.69	-90	5	-0.47	0.00	0.47	-67	6	-0.29	0.69	0.75	-113	7	0.73	0.00	0.73		783.69	483.537										
St.	dx	dy	l	v°																																																						
1	-0.38	0.00	0.38	-67																																																						
2	-0.29	0.69	0.75	-113																																																						
3	0.76	0.00	0.76	-90																																																						
4	0.00	-0.69	0.69	-90																																																						
5	-0.47	0.00	0.47	-67																																																						
6	-0.29	0.69	0.75	-113																																																						
7	0.73	0.00	0.73																																																							
31	26	16	12.00		A1	 <p>Opomba: Reži na licu mesta !</p>	312.00	492.960																																																		
32	35	14	12.00		A1	 <p>Opomba: Reži na licu mesta !</p>	420.00	508.200																																																		
33	79	10	3.79		X1	 <table border="1" data-bbox="571 1227 826 1375"> <thead> <tr> <th>St.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>v°</th> </tr> </thead> <tbody> <tr><td>1</td><td>-0.38</td><td>0.00</td><td>0.38</td><td>-67</td></tr> <tr><td>2</td><td>-0.21</td><td>0.50</td><td>0.54</td><td>-113</td></tr> <tr><td>3</td><td>0.68</td><td>0.00</td><td>0.68</td><td>-90</td></tr> <tr><td>4</td><td>-0.00</td><td>-0.50</td><td>0.50</td><td>-90</td></tr> <tr><td>5</td><td>-0.47</td><td>0.00</td><td>0.47</td><td>-67</td></tr> <tr><td>6</td><td>-0.21</td><td>0.50</td><td>0.54</td><td>-113</td></tr> <tr><td>7</td><td>0.68</td><td>0.00</td><td>0.68</td><td></td></tr> </tbody> </table>	St.	dx	dy	l	v°	1	-0.38	0.00	0.38	-67	2	-0.21	0.50	0.54	-113	3	0.68	0.00	0.68	-90	4	-0.00	-0.50	0.50	-90	5	-0.47	0.00	0.47	-67	6	-0.21	0.50	0.54	-113	7	0.68	0.00	0.68		299.41	184.736										
St.	dx	dy	l	v°																																																						
1	-0.38	0.00	0.38	-67																																																						
2	-0.21	0.50	0.54	-113																																																						
3	0.68	0.00	0.68	-90																																																						
4	-0.00	-0.50	0.50	-90																																																						
5	-0.47	0.00	0.47	-67																																																						
6	-0.21	0.50	0.54	-113																																																						
7	0.68	0.00	0.68																																																							
34	58	10	4.44		X1	 <table border="1" data-bbox="571 1572 826 1765"> <thead> <tr> <th>St.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>v°</th> </tr> </thead> <tbody> <tr><td>1</td><td>0.20</td><td>-0.00</td><td>0.20</td><td>90</td></tr> <tr><td>2</td><td>0.00</td><td>0.47</td><td>0.47</td><td>90</td></tr> <tr><td>3</td><td>-1.25</td><td>0.00</td><td>1.25</td><td>64</td></tr> <tr><td>4</td><td>-0.11</td><td>-0.23</td><td>0.26</td><td>26</td></tr> <tr><td>5</td><td>0.00</td><td>-0.16</td><td>0.16</td><td>23</td></tr> <tr><td>6</td><td>0.03</td><td>-0.07</td><td>0.08</td><td>67</td></tr> <tr><td>7</td><td>1.33</td><td>-0.00</td><td>1.33</td><td>90</td></tr> <tr><td>8</td><td>0.00</td><td>0.47</td><td>0.47</td><td>90</td></tr> <tr><td>9</td><td>-0.22</td><td>0.00</td><td>0.22</td><td></td></tr> </tbody> </table>	St.	dx	dy	l	v°	1	0.20	-0.00	0.20	90	2	0.00	0.47	0.47	90	3	-1.25	0.00	1.25	64	4	-0.11	-0.23	0.26	26	5	0.00	-0.16	0.16	23	6	0.03	-0.07	0.08	67	7	1.33	-0.00	1.33	90	8	0.00	0.47	0.47	90	9	-0.22	0.00	0.22		257.52	158.890
St.	dx	dy	l	v°																																																						
1	0.20	-0.00	0.20	90																																																						
2	0.00	0.47	0.47	90																																																						
3	-1.25	0.00	1.25	64																																																						
4	-0.11	-0.23	0.26	26																																																						
5	0.00	-0.16	0.16	23																																																						
6	0.03	-0.07	0.08	67																																																						
7	1.33	-0.00	1.33	90																																																						
8	0.00	0.47	0.47	90																																																						
9	-0.22	0.00	0.22																																																							
35	17	14	9.10		A1		154.70	187.187																																																		
36	58	10	2.18		A4		126.44	78.013																																																		
37	10	14	9.90		A1		99.00	119.790																																																		

Projekt: 1 1

/ 1

ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg
38	28	10	1.59		A4		44.52	27.469
39	14	10	1.45		A4		20.30	12.525
40	4	10	1.90		A1		7.60	4.689
41	5	16	1.90		A1		9.50	15.010
42	36	8	1.13		A4		40.68	16.069
43	12	14	3.00		A1		36.00	43.560
44	20	16	3.50		A1		70.00	110.600
45	220	8	1.65		A3	 Opomba: fi8/15cm	363.00	143.385
46	20	8	1.13		A4	 Opomba: fi8/15cm	22.60	8.927
47	20	8	1.23		A4	 Opomba: fi8/15cm	24.60	9.717
48	38	16	1.00		A1		38.00	60.040
49	8	12	2.35		A1		18.80	16.694
50	8	12	1.70		A1		13.60	12.077
51	3	20	1.70		A1		5.10	12.597
52	6	10	1.70		A1		10.20	6.293

Skupna masa (kg) 6609.724